CUMULATIVE AUTHOR INDEX
Medical Entomology
Volume 42, 2005

A
Abreu-Blanco, M. T., 48
Achee, N., 95
Afrane, Y. A., 974
Aguilar, P. V., 404
Ainardi, R., 168
Alcaide, M., 327
Alencar, J., 1, 981
Alfonzo, D., 278
Allan, S. A., 306
Almazán, C., 864
Almeida, A.P.G., 419
Alonso, P., 180
Alves, F. P., 777
Anderson, J. F., 875
Andrade-Coelho, C. A., 986
Andreadis, T. G., 57, 875
Añez, N., 48
Anishchenko, M., 857
Anselmo, M. L., 419
Aparecida Braga, I., 830
Aponte, J. J., 180
Aranda, C., 180
Arankalle, V. A., 495
Arcos-Teran, L., 68
Arheart, K. L., 751
Arikawa, K., 312
Armstrong, P. M., 875
Aspen, S. E., 490

B
Ba, Y., 104, 739
Backenson, P. B., 694
Baldet, T., 548
Ballo, S., 1006
Balmforth, M. G., 445
Baptista, S.S.S.G., 419
Barbour, A. G., 359
Barnard, D. R., 306
Barrack, O.-O.J., 993
Barrera, R., 278
Barrios, S., 342, 637
Bauer, S. M., 207
Baumgärtner, J., 1006
Beard, C. B., 506
Beaty, B. J., 110
Beckett, S., 1039
Behonick, G. S., 481
Beier, J. C., 241, 751
Belayehun, L., 1006
Bennett, K. E., 110
Benoit, J. B., 383
Bernier, U. R., 306
Berry, R. L., 732
Bideshi, D. K., 337
Black, W. C., IV, 110
Blagburn, B. L., 631
Blouin, E. F., 864
Blow, J. A., 57
Boonchu, N., 86, 233, 702
Boumezzough, A., 697
Bourel, B., 187
Boyce, W. M., 247
Braga, E. M., 928
Brasileiro Mello, C., 830
Braverman, Y., 128
Brewster, C. C., 481
Broce, A. B., 668
Brochez, L., 89
Brouqui, P., 82
Brown, E. J., 685
Bryant, P., 490
Buckley, F. G., 445
Buckley, P. A., 445
Buczek, A., 541
Bueschel, D. M., 676
Burkhalter, K. L., 490
Burns, J. E., 1039
Bustamante, D. M., 29

C
Cabrera, M., 780
Cailliez, J.-C., 187
Calampa, C., 891
Calderón Fernández, G., 780
Camargo, E. P., 777
Camargo, L.M.A., 945
Campbell, C. L., 409
Canale, D. M., 571
Caporale, D. A., 457
Caraco, T. B., 899
Carlton, C. E., 193
Casimiro, S., 180
Castillo-Pizango, M. J., 554
Catalá, S., 719
Cecere, M. C., 571
Ceraul, S. M., 864
Chaiwong, T., 86, 233, 702, 812
Chan, K., 766
Chareonviriyaphap, T., 604
Chauhan, K. R., 643
Chen, H., 899
Chen, W.-J., 120
Cheng, S.-L., 120
Choochote, W., 812
Christensen, J. E., 657
Co, J. E., 647
Coleman, J. L., 694
Conn, J. E., 795
Conner, W. E., 647
Cook, S., 19
Cooper, A., 19
Coosemans, M., 1035
Corbel, V., 652
Cornel, A. J., 1020
Costales, J. A., 68
Costantini, C., 104
Costanzo, K. S., 559
Crans, W. J., 490
Crespo, D. C., 332
Crisante, G., 48
Cristina, J., 589
Crosbie, P. R., 247
Cunningham, M. J., 266
Cupp, E. W., 805
Cupp, M. S., 805

D
Dabire, R. K., 548
Dalton, R., 548
Dasch, G. A., 473, 1063
Davey, R. B., 912
David, J.-F., 260, 959
Davidson, I., 128
Davies, N., 1045
Davila, S., 68
Day, J. F., 134, 647
Debboun, M., 643
Deegan, C. S., 1039
Degallier, N., 1, 981
Dehecq, E., 187
Dei-Cas, E., 187
de la Fuente, J., 864
Delhaes, L., 187
De Meneghi, D., 168
Denholm, I., 631
Desch, C. E., 948
Devine, G. J., 620
Dgedge, M., 180
Dia, I., 104, 739
Diabaté, A., 548, 652
Diallo, D., 104, 739
Diallo, M., 19, 104, 739
Dias, M., 48
Dietrich, G., 506
Dobson, S. L., 789
Dohm, D. J., 57, 891
Dolan, M. C., 352, 506
Domínguez-García, D. I., 1020
Dondji, B., 652
Dorny, P., 1035
Douglas, H. D., III, 647
Drolet, B. S., 409
Dryden, M. W., 631
Duchemin, J.-B., 104
Duchon, S., 652
Dumler, J. S., 82
Duvallet, G., 260, 959

E
Ebel, G. D., 838
Editor-in-Chief and Subject Editors of, 511
Edwards, M. J., 36
Eger-Mangrich, I., 928
Eisa, A., 346
Eisen, L., 75, 388
Eisen, R. J., 75, 388
Eitam, A., 789
Eremeeva, M. E., 473
Etang, J., 998
Evangelista, L. G., 218

F
Fairley, T. L., 795
Fang, Y., 367
Farajollahi, A., 490
Federici, B. A., 337
Fell, R. D., 481
Ferketich, A. K., 732
Fernández, G. C., 29
Fernandez, R., 891
Fischer, M. L., 756
Fisher, M. A., 676
Fontenille, D., 726, 998
Fresia, P., 589
Frontera, E., 327
Fukaya, H., 537
Fulmali, P. V., 909
Furman, K. D., 306

G
Gabitzsch, E. S., 1057
Gage, K. L., 163
Gallaga Solorzano, J. C., 1068
Gama, S., 589
Garros, C., 7, 522
Gatton, M. L., 882
Gbur, E. E., 42
Geevarghese, G., 204, 495, 909
George, J. E., 912, 1020
Gherardini, F. C., 676
Ghodke, Y. S., 204, 909
Gil, L.H.S., 777
Gilchrist, M.J.R., 473
Gill, J. S., 473
Gilles, J., 260, 959
Gimnig, J. E., 548
Ginsberg, H. S., 445
Girard, Y. A., 429
Girma, M., 1006
Githeko, A. K., 751, 974, 993
Githure, J. I., 241, 751
Goddard, J., 176
Godsey, M. S., 419, 490
Goethert, H. K., 502
Golovchenko, M., 36
González Audino, P., 342
Gonzalez Bravo, F. E., 1068
Gorla, D., 719
Grego, E., 168
Grieco, J., 95
Griffith, D. A., 751
Grijalva, M. J., 68
Grillet, M. E., 278
Grimm, D., 676
Grubhoffer, L., 36
Gu, W., 241
Guernaoui, S., 697
Guerrero, F. D., 1020
Guevara, P., 48
Guevart, E., 187
Guimarães, A. E., 1, 981
Gürtler, R. E., 571
Gutierrez, J. A., 207
Gutiérrez, J. L., 1082
Guzman, H., 891

H
Hall, G., 882
Hall, R. D., 922
Han, V., 429
Harbach, R. E., 7, 522
Harrington, L. C., 821, 844
Hawley, W. A., 548
Hernandez-Ortiz, R., 1020
Herve, J. P., 652
Higashi, R., 95
Higgs, S., 429
Hinkle, N. C., 631
Hoffman, S., 801
Hofman, T., 850
Holmes, E. C., 19
Hougard, J.-M., 652
Howard, J. J., 254
Huang, C.-G., 120
Huguenin, M., 1039
Hunter, F. F., 301

J
Jacob, B. G., 751
Jacobs, D. E., 631
Jadi, R., 495
Jasik, K., 541
Jasinskas, A., 359
Jenson, T. A., 657
Ji, D.-D., 1085
Jiménez, M.-L., 1082
Jirakanjanakit, N., 604
Johnson, C. M., 457
Jones, J. W., 891
Jones, T. H., 647
Jordan, R. A., 285, 450, 966
Joshi, G. D., 204
Joshi, M. V., 204, 495
Juárez, M. P., 29, 780
Juliano, S. A., 559

K
Kanojia, P. C., 495
Karchesy, J. J., 352
Karjala, Z., 948
Kato, T., 63
Kawada, H., 312
Keas, B. E., 94
Keating, J., 241
Kebe, C.M.F., 739
Keyhani, N. O., 346
Khasawneh, M., 352
Kilpatrick, C. W., 795
Kim, E. H., 548
Kirkland, B. H., 346
Kitron, U., 571
Klaczko, L. B., 589
Klein, T. A., 891
Kline, D. L., 306
Klun, J. A., 643
Kocan, K. M., 864
Kogut, S. J., 694
Komar, N., 419, 1039
Konate, L., 104
Kondig, J., 891
Kosoy, M. Y., 163
Koutaro, M., 82
Kramer, L. D., 838
Kramer, M., 643
Kristensen, M., 826
Kubi, C., 1035
Kubo, T., 63

L
Labruna, M. B., 163, 945
Lane, A. M., 918
Lane, R. S., 75, 388
Lanzaro, G. C., 596
Lapeere, H., 89
Lausen, C. L., 497
Lawson, B. W., 974
Lecuona, R. E., 332
Lee, J.-H., 694
Lee, J. S., 891
Lehmann, T., 548
Leite, A.C.R., 218
Leon, R., 939
Lerdthusnee, K., 939
Lester, P. J., 266
Levin, M., 48
Levin, M. L., 473
Leybaert, L., 89
Lien, J.-C., 1085
Lima, C.M.R., 506
Lima De Azeredo-Espin, A. M., 589
Liria, J., 278
Liu, H., 815
Liu, N., 815
Loftis, A. D., 473, 1063
Longacker, J., 838
Lopes, C. M., 1
López-Cárdenas, J., 1068
López-González, C., 125
López-Sifuentes, V., 620
Lorosa, E. S., 981
Lounibos, L. P., 404
Ludwig, G. V., 891

Lyra, M. L., 589
Lysyk, T. J., 376, 397, 668

M

Ma, Y., 610
Mabilde, C., 89
Madden, R. C., 582
Madden, S. C., 582
Main, A. J., 875
Majak, W., 376
Mangiafico, J. A., 891
Manguin, S., 7, 522
Mannelli, A., 168
Marcotty, T., 1035
Marrelli, M. T., 777
Martinez, V. M., 367
Martinez Mendez, J., 1068
Martins Júnior, A. J., 830
Maupin, G. O., 352
Mavale, M. S., 909
May, B., 247
Mbogo, C. M., 241, 751
McGraw, E. A., 918
Meece, J. K., 657
Mehlhorn, H., 631
Mello, R. P., 1
Mencke, N., 631
Meneguz, P. G., 168
Menes, M., 29
Mercer, D. R., 554, 685
Michalik, J., 850
Mijailovsky, S., 29
Millard, B. J., 457
Miller, M., 805
Miller, R. J., 912, 1020
Millogo, N., 548
Minakawa, N., 270, 295, 993
Mishra, A. C., 204, 495, 909
Misumi, H., 213
Mitchell, C. J., 419
Mitra, S., 445
Miura, Y., 63
Mixson, T., 450
Moeschberger, M. L., 732
Moncayo, A. C., 939
Monroy, M. C., 29, 780
Montenieri, J. A., 163, 352
Monteys, V.S.I., 1026
Moreno, M., 719
Mores, C. N., 891
Moriarity, J. R., 1063
Mormann, K., 559
Mougabure Cueto, G., 342
Mourya, D. T., 204
Mullens, B. A., 705
Mun, J., 388
Munga, S., 993
Mwangangi, J., 241

N

Naeyaert, J.-M., 89
Narongchai, P., 702
Nasci, R. S., 490
Navarrete, I., 327
Navarro, J.-C., 278
Nchoutpouen, E., 726
Nebbia, P., 168
Ngern-Klun, R., 233, 702
Novak, R., 751
Novo, M.T.L.M., 419
Nzovu, J. G., 241
Nzungu, P. N., 187

O

O'Brochta, D. A., 716
O'Guinn, M. L., 57, 891
Ohashi, S., 63
Okeka, W., 270
Oliver, J., 254
O'Neill, S. L., 918
Ordoñez, R., 780
Orellana-Rios, W., 620
Ortiz, D. I., 857
Owens, C. B., 709

P

Pacheco, J. B., 981
Paddock, C. D., 176
Pagès, N., 1026
Palmer, G. H., 153, 668
Palomeque-Rodríguez, F. S., 68
Panella, N. A., 352, 419, 1039
Papero, M., 450
Park, H.-W., 337
Paskewitz, S. M., 712
Payne, P., 631
Pecor, J., 891
Peixoto, A. A., 986
Pelzer, K., 481
Peralta-Cruz, J., 352
Pereira da Silva, L. H., 777
Pereira Lima, J. B., 830
Pesson, B., 697
Peterson, A. T., 1068
Peterson, N. G., 705
Petrarca, V., 180, 998
Piangjai, S., 86, 233, 702, 812
Pichon, G., 697
Picollo, M. I., 342, 637
Piesman, J., 506, 1057
Pike, A. J., 266
Pimenta, P.F.P., 928
Pinto, J., 180
Policastro, P. F., 676
Ponlawat, A., 821, 844
Popov, V., 429
Procunier, W., 805
Prusinski, M. A., 694

Q

Quinn, H. E., 882

R

Ramirez, J. L., 48
Ramírez Barba, E., 1068
Ramos, H. C., 419
Ramsey, J. M., 780, 1068
Rangel, E. F., 986
Reed, K. D., 657
Regens, J. L., 241, 751
Reina, D., 327
Reisen, W. K., 367
Reis Montella, I., 830
Rejmánková, E., 95
Rellinger, E. J., 383
Reynolds, C. E., 657
Ribeiro, H., 224, 419, 953
Ribolla, P.E.M., 777
Roberts, D., 95
Robich, R. M., 939
Rochlin, I., 838
Rochon, K., 397
Rodriguez-Vivas, R. I., 1020
Rojas, A., 48
Romoser, W. S., 939
Rongnoparut, P., 604
Rosa, P. A., 676
Rosales, R., 719
Rosario, V. D., 180
Rosario-Cruz, R., 1020
Rossi, C. A., 891
Rudenko, N., 36
Russell, C. B., 301
Russell, R. C., 1045
Rust, M. K., 631
Ryan, P. A., 882
Rymaszewska, A., 850

S

Sachetto, C., 719
Saengtharatip, S., 604
Salazar-Schettino, P. M., 719, 780, 1068
Sall, A. A., 19
Sánchez-Cordero, V., 1068
Sánchez-López, J., 327
Sanford, M. R., 766
Sanogo, Y. O., 789
Santolamazza, F., 998
Santo Orihuela, P., 637
Santoro, M. M., 928
Santos, A. S., 82
Santos-Mallet, J. R., 1
Santus, R., 652
Sardelis, M. R., 57, 891
Saute, F., 180
Savage, H. M., 923
Sawczuk, M., 850
Scarpassa, V. M., 319
Schoeler, G., 891
Schrevel, J., 652
Schriefer, M. E., 473
Schroeder, I., 631
Schulze, C. J., 450, 966
Schulze, T. L., 285, 450, 966, 1057
Schwan, T. G., 676
Sciarretta, A., 1006

Scoles, G. A., 153, 668
Scott, J. G., 821
Secundino, N.F.C., 928
Selinger, L. B., 397
Serra-Freire, N. M., 981
Sethuraman, N., 716
Shaman, J., 134
Shaw, M. D., 918
Sheeley, S. L., 685
Shi, L., 712
Sihuincha, M., 620
Sikora, B., 850
Simard, F., 548, 726, 998
Simões, M. J., 419
Singh, A., 909
Skoracki, M., 850
Skotarczak, B., 850
Slaff, M., 1089
Smith, C. K., II, 207
Soares, C.A.G., 506
Somboon, P., 812
Sonenshine, D. E., 864
Sonye, G., 295
Sousa, C., 180
Sousa, C.A.G.C.C., 419
Souza, N. A., 986
Sripakdee, D., 233, 702
Stancil, J. D., 620
Starost, M. F., 948
Steelman, C. D., 42
Steinhaus, E. Y., 1039
Stephens, M. R., 247
Stevenson, H. L., 163
Stichele, R. V., 89
Stieglitz, M., 134
Stockwell, P. J., 657
Stratton, H. H., 899
Strother, K. O., 42
Stuart, M. A., 409
Subramanian, G. M., 801
Sukontason, K., 86, 233, 702, 812
Sukontason, K. L., 86, 233, 702, 812
Sukonthabhirom, S., 604
Szalanski, A. L., 709

T

Tabor, K. L., 481
Takagi, M., 270, 312
Takahashi, H., 537
Takahashi, M., 213, 537
Takemura, S.-Y., 312
Tarocco, F., 332
Tayutivutikul, J., 812
Teglas, M. B., 247
Telford, S. R., III, 383, 502
Terrassini, F. A., 945
Tesh, R., 891
Thiemann, T., 596
Thill, C., 694
Tikubet, G., 1006
Tilly, K., 676
Tomassone, L., 168
Torre, A. D., 998
Toto, J. C., 726
Tramuta, C., 168
Travassos da Rosa, A., 891
Tripet, F., 596
Tsai, K.-H., 120
Tsuda, T., 63
Tsurumi, M., 213
Tuno, N., 270
Turell, M. J., 57, 891
Turica, M., 332

U

Uchikawa, K., 213
Ueti, M. W., 153
Ullmann, A. J., 1057
Umezawa, E., 48

V

Vaidyanathan, R., 142
Valle, D., 830
Van den Abbeele, J., 1035
Van den Bossche, P., 1035
Vander Haeghen, Y., 89
Vargas, M., 125
Vasconcellos-Neto, J., 756
Vassena, C., 342, 637
Vaughn, M., 631
Vazquez, M., 48
Vazquez-Prokopec, G. M., 571
Veira, D. M., 376
Venturini, L., 168
Vetter, R. S., 512
Viana Medeiros, P. F., 830
Vidal-Oré, C., 620
Villegas-Guzman, G. A., 125
Vogtsberger, R. C., 86, 233

W

Walker, D. H., 163
Walton, W. E., 766
Wasieloski, L. P., Jr., 891
Watson, E. J., 193
Watts, D. M., 891
Weaver, S. C., 278, 404, 857
Webb, C. E., 1045
Wen, J., 429
Weng, M.-H., 1085
White, D. J., 899
White, W. H., 207
Williamson, M., 631
Wilson, W. C., 409
Winpisinger, K. A., 732
Wodecka, B., 850
Wolf, B., 490
Wondji, C., 998
Wu, W.-J., 120

X

Xiong, Y., 352
Xu, J., 610
Xu, Q., 815

Y

Yamakawa, M., 63
Yan, G., 241, 270, 295, 974, 993
Yanase, T., 63
Yanoviak, S. P., 404
Yoder, J. A., 383
Yoshida, K., 63
Yoshioka, J., 864
Young, M., 882

Z

Zaidemberg, M., 637
Zamora-Perea, E., 620
Zeidner, N. S., 506, 1057
Zerba, E., 342, 637
Zhang, D., 805
Zhang, L., 815
Zhao, X., 207
Zhioua, E., 445
Zhou, G., 993
Zyzak, M., 891

CUMULATIVE KEY WORD INDEX
Medical Entomology
Volume 42, 2005

A

A. americanum,
encounter frequencies, 450
I. scapularis, 450
infection prevalence, 450
Acari,
Demodecidae, 948
hair follicle mite, 948
new species, 948
rhesus monkey, 948
acaricide, 207, 912
benzimidazole-carbamate, 207
Boophilus, 207, 912
cattle tick, 912
larval immersion microassay, 207
pesticide resistance, 912
resistance, 207
Rhipicephalus, 912
acaricide resistance,
Boophilus microplus, 1020
esterases, 1020
sodium channels, 1020
activity,
behavioral ecology, 582
Ixodes, 582
seasonality, 582
ticks, 582
activity biting rhythms,
leishmaniasis, 986
sand flies, 986
adaptive management,
geostatistics, 1006
mapping, 1006
monitoring, 1006
tsetse populations, 1006
Aedes, 19, 821, 923, 1045
Aedini classification, 923
Dirofilaria immitis, 1045
French Polynesia, 1045
insecticide resistance, 821
malathion, 821
mitochondrial DNA, 19
mosquito classification, 923
Ochlerotatus, 923
paraphylyphobia, 923
parity rates, 1045
PCR-restriction fragment-length polymorphism, 19
permethrin, 821
temephos, 821
Wuchereria bancrofti, 1045
Aedes aegypti, 110, 312, 352, 604, 620, 716, 726, 830, 844, 909
Aedes albopictus, 312, 726, 844
Africa, 726
blood feeding, 844
Cameroon, 726
Chandipura virus, 909
cinnabar, 716
dengue, 110
disseminated infection rate, 110
eye parameter, 312
fecundity, 620
forage ratio, 844
gene flow, 604
genetics, 604
horizontal transfer, 620
insect growth regulator, 830
isozymes, 604
Ixodes scapularis, 352
kh^w, 716
kynurenine hydroxylase, 716
larval ecology, 726
methoprene, 830
midgut infection rate, 110
mortality, 620
natural products, 352
nocturnal behavior, 312
nootkatone, 352
photoelectric sensor, 312
piggyBac, 716
pyriproxyfen, 620
selection, 110
temephos, 830
Thailand, 604, 844
vector control, 830
venereal transmission, 909
vertical transmission, 909
Xenopsylla cheopis, 352
Aedes albopictus, 312, 419, 726, 844
Aedes aegypti, 312, 726, 844
Africa, 726
bioecology, 419
blood feeding, 844
Cameroon, 726
China, 419
dengue, 419
eye parameter, 312
forage ratio, 844
larval ecology, 726
nocturnal behavior, 312
photoelectric sensor, 312
Thailand, 844
Aedes vexans,
Culex poicilipes, 739
dispersal, 739
Rift Valley Fever, 739
Senegal, 739
Aedini classification,
Aedes, 923
mosquito classification, 923
Ochlerotatus, 923
paraphylyphobia, 923
Africa,
Aedes aegypti, 726
Aedes albopictus, 726
Cameroon, 726
larval ecology, 726
African horse sickness,
bluetongue, 1026
COI sequencing, 1026
Culicoides, 1026
Afrorhynchus, 224, 953
identification keys, 224, 953
new species, 224
systematics, 953
Toxorhynchites, 224, 953
aldehydes,
chemical defense, 647
crested auklet, 647
ectoparasites, 647
mosquito repellent, 647
allele-specific polymerase chain reaction,
knockdown resistance, 826
Pediculus humanus capitis, 826
pyrethroid resistance, 826
alphavirus, 404, 857
arbovirus, 404, 857
encephalitis, 404, 857
mosquito, 857
transmission, 404
vector, 404, 857
Alphitobius diaperinus,
Campylobacter jejuni, 42
lesser mealworm, 42
reservoir competence, 42
Amblyomma,
Babesia, 694
Chelex, 694
detection, 694
Ixodes, 694
Amblyomma americanum, 285, 864
Anaplasma marginale, 864
capillary tube feeding, 864
Dermacentor variabilis, 864
habitat, 285

Ixodes scapularis, 285
Lyme disease, 285
microclimate, 285
MSP1a, 864
Amblyomma maculatum,
American boutonneuse fever, 176
Rickettsia parkeri, 176
seasonality, 176
Amblyomma rotundatum,
Brazil, 945
male, 945
Rondônia, 945
Tropidurus, 945
American boutonneuse fever,
Amblyomma maculatum, 176
Rickettsia parkeri, 176
seasonality, 176
American robin,
Borrelia burgdorferi, 445
northern cardinal, 445
reservoir competence, 445
song sparrow, 445
ammonium nitrogen,
Chironomidae, 766
Culex, 766
mosquitofish, 766
nitrogen fertilization, 766
amplification,
Culex nigripalpus, 134
drought, 134
transmission, 134
West Nile virus, 134
Anaplasma marginale, 153, 668, 864
Amblyomma americanum, 864
biological transmission, 668
capillary tube feeding, 864
Dermacentor andersoni, 153
Dermacentor variabilis, 864
mechanical transmission, 668
MSP1a, 864
quantitative PCR, 153
stable flies, 668
survey, 153
ticks, 668
vector competence, 153
Anaplasma phagocytophilum,
Borrelia burgdorferi, 388
Dermacentor occidentalis, 388
Ixodes pacificus, 388
Sciurus griseus, 388
Anomiopsyllus nudata,
flea, 163
Neotoma albigula, 163
New World, 163
Rickettsia felis, 163
Anopheles, 7, 180, 241, 522, 610
28S, 522
biogeography, 7
CDC light traps, 180
COI, 7
COII, 522
EIR, 180
Hyrcanus group, 610
ITS2, 610
Kenya, 241
malaria, 180, 241
morphology, 522
mosquito distribution, 241
Mozambique, 180
phylogenetic relationship, 610
phylogeny, 7, 522
rDNA, 7, 610
Anopheles albimanus,
Anopheles vestitipennis, 95
oviposition, 95
Anopheles aquasalis,
concerted evolution, 795
intragenomic heterogeneity, 795
ITS, 795
Anopheles darlingi,
asymptomatic infection, 777
malaria, 777
mosquito feeding, 777
Anopheles gambiae, 295, 548, 751, 993, 998
Cameroon, 998
chromosomal form, 998
development, 548
egg hatchability, 993
habitat size, 295
land use, 993
land use land cover, 751
larval ecology, 295
malaria, 993, 998
molecular forms, 548, 998
multispectral thermal imager, 751
oviposition, 993
pupal occurrence, 295
rice fields, 548
stability, 295
temporary habitats, 548
Anopheles oswaldoi s. l.,
Brazilian Amazon, 319
isozyme, 319
malaria, 319
population genetics, 319
Anopheles stephensi,
arrestin, 801
larvae, 801
light deprivation, 801
Anopheles vestitipennis,
Anopheles albimanus, 95
oviposition, 95
anopheline,
deforestation, 270
malaria vector, 270
survival analysis, 270
antennal sensilla,
Chagas disease, 719
phyllosoma group, 719
Triatoma dimidiata, 719
Triatominae, 719
anthropic environment,
habitat selection, 756
loxoscelism, 756
antibody,
intestine, 359
receptor, 359
tick, 359
vector, 359
antithrombin,
black fly, 805
genome, 805
sex chromosome, 805
vasodilator, 805
apoptosis,
electron microscopy, 429
pathology, 429
salivary glands, 429
West Nile virus, 429
aquatic habitats,
mosquito ecology, 278
spatial distribution, 278
Venezuela, 278
Venezuelan equine encephalitis vectors, 278
Arachnida,
distribution, 512
Loxosceles reclusa, 512
misidentifications, 512
arbovirus, 63, 404, 554, 685, 857, 875, 1039
alphavirus, 404, 857
biting midge, 63
bovine, 63
Connecticut, 875
Culicoides, 63
disease vector, 554
encephalitis, 404, 857
microhabitat, 685
mosquito, 857
mosquito larval development, 685
mosquitoes, 875
Oropouche virus, 554
palustrine wetland, 685
pigeon, 1039
Potosi virus, 875
sentinel, 1039
surveillance, 1039
transmission, 404
tropical *Culicoides*, 554
vector, 404, 857
viral isolation, 875
virus isolation, 63
West Nile virus, 1039
argasid,
Bartonella, 473
Borrelia, 473
Carios kelleyi, 473
Rickettsia, 473

arrestin,
Anopheles stephensi, 801
larvae, 801
light deprivation, 801
arthropod succession,
forensic entomology, 193
necrophilous insects, 193
poaching, 193
wildlife, 193
assortive mating,
polyandry, 596
postmating reproductive isolation, 596
speciation, 596
asymptomatic infection,
Anopheles darlingi, 777
malaria, 777
mosquito feeding, 777
automated,
DNA extraction, 1063
polymerase chain reaction, 1063
robotic, 1063
ticks, 1063
avian host competence,
mosquito vector competence, 367
St. Louis encephalitis virus, 367
transmission, 367
West Nile virus, 367

B

Babesia,
Amblyomma, 694
Chelex, 694
detection, 694
Ixodes, 694
Bacillus sphaericus 2362 binary toxin,
Bacillus thuringiensis subsp. *jegathesan*, 337
Bacillus thuringiensis subsp. *morrisoni* PG-14, 337
Cyt1A, 337
Bacillus thuringiensis subsp. *jegathesan*,
Bacillus sphaericus 2362 binary toxin, 337
Bacillus thuringiensis subsp. *morrisoni* PG-14, 337
Cyt1A, 337
Bacillus thuringiensis subsp. *morrisoni* PG-14,
Bacillus sphaericus 2362 binary toxin, 337
Bacillus thuringiensis subsp. *jegathesan*, 337
Cyt1A, 337
Baja California,
Loxosceles mulege, 1082
Sicariidae, 1082
taxonomy, 1082
Barmah Forest,
epidemic, 882
Ross River, 882
virus, 882
Bartonella,
argasid, 473
Borrelia, 473
Carios kelleyi, 473
Rickettsia, 473
bats, 125, 497
Chiroptera, 497
ectoparasites, 125, 497
host–parasite relationships, 125
Mexico, 125
mites, 125
Ornithodoros, 497
ticks, 497
Beauveria bassiana, 332, 346
biological control, 332
entomopathogenic fungi, 332, 346
fungus production, 332
Musca domestica, 332
oxalate, 346
pH, 346
tick biocontrol, 346
behavioral ecology,
activity, 582
Ixodes, 582
seasonality, 582
ticks, 582
benzimidazole-carbamate,
acaricide, 207
Boophilus, 207
larval immersion microassay, 207
resistance, 207
bioecology,
Aedes albopictus, 419
China, 419
dengue, 419
biogeography,
Anopheles, 7
COI, 7
phylogeny, 7
rDNA, 7
biological control,
Beauveria bassiana, 332
entomopathogenic fungi, 332
fungus production, 332
Musca domestica, 332
biological transmission,
Anaplasma marginale, 668
mechanical transmission, 668
stable flies, 668
ticks, 668
biting midge,
arbovirus, 63
bovine, 63
Culicoides, 63
virus isolation, 63
black fly,
antithrombin, 805
genome, 805
sex chromosome, 805
vasodilator, 805
blood feeding, 36, 844
Aedes aegypti, 844
Aedes albopictus, 844
Borrelia burgdorferi, 36
differential gene expression, 36
forage ratio, 844
Ixodes ricinus, 36
subtractive hybridization, 36
Thailand, 844
bloodmeal analysis,
terminal restriction fragment length polymorphisms, 657
bluetongue,
African horse sickness, 1026
COI sequencing, 1026
Culicoides, 1026
Boophilus, 207, 912
acaricide, 207, 912
benzimidazole-carbamate, 207
cattle tick, 912
larval immersion microassay, 207
pesticide resistance, 912
resistance, 207
Rhipicephalus, 912
Boophilus microplus,
acaricide resistance, 1020
esterases, 1020
sodium channels, 1020
Borrelia, 473, 1057
argasid, 473
Bartonella, 473
Carios kelleyi, 473
Ixodes, 1057
multiplex real-time PCR, 1057
Rickettsia, 473
Borrelia burgdorferi, 36, 388, 445, 457, 506, 850
American robin, 445
Anaplasma phagocytophilum, 388
blood-feeding, 36
Dermacentor occidentalis, 388
differential gene expression, 36
Ixodes pacificus, 388
Ixodes ricinus, 36, 850
Ixodes scapularis, 457, 506
Lyme disease, 506
northern cardinal, 445
Peromyscus leucopus, 457
prevalence, 457
reservoir competence, 445
reservoirs, 850

salivary glands, 506
Sciurus griseus, 388
small rodents, 850
song sparrow, 445
strain W97F51, 457
subtractive hybridization, 36
Borrelia garinii,
Borrelia valaisiana, 168
Italy, 168
Ixodes ricinus, 168
Turdus merula, 168
Borrelia valaisiana,
Borrelia garinii, 168
Italy, 168
Ixodes ricinus, 168
Turdus merula, 168
bovine,
arbovirus, 63
biting midge, 63
Culicoides, 63
virus isolation, 63
Brazil,
Amblyomma rotundatum, 945
male, 945
Rondônia, 945
Tropidurus, 945
Brazilian Amazon,
Anopheles oswaldoi s. l., 319
isozyme, 319
malaria, 319
population genetics, 319

C

Calonectris leucomelas, 213, 537
chigger, 537
Euschoengastia suzukii, 537
Ixodes philipi, 213
streaked shearwater, 213, 537
Trombiculidae, 537
Cameroon, 726, 998
Aedes aegypti, 726
Aedes albopictus, 726
Africa, 726
An. gambiae, 998
chromosomal form, 998
larval ecology, 726
malaria, 998
molecular form, 998
Campylobacter,
DNA storage, 709
house fly, 709
pathogen, 709
polymerase chain reaction, 709
Campylobacter jejuni,
Alphitobius diaperinus, 42
lesser mealworm, 42
reservoir competence, 42
capillary tube feeding,
Amblyomma americanum, 864
Anaplasma marginale, 864
Dermacentor variabilis, 864
MSP1a, 864
Carios kelleyi,
argasid, 473
Bartonella, 473
Borrelia, 473
Rickettsia, 473
cat fleas,
Ctenocephalides felis, 631
imidacloprid, 631
insecticide resistance, 631
monitoring, 631
cattle tick,
acaricide, 912
Boophilus, 912
pesticide resistance, 912
Rhipicephalus, 912
CDC light traps,
Anopheles, 180
EIR, 180
malaria, 180
Mozambique, 180
Chagas disease, 29, 68, 571, 719, 1068
antennal sensilla, 719
cuticular hydrocarbons, 29
Ecuador, 68
Guanajuato, 1068
Mexico, 1068
morphometry, 29
phyllosoma group, 719
Rhodnius ecuadoriensis, 68
spatial clustering, 571
spatial statistics, 571
Triatoma carrioni, 68
Triatoma dimidiata, 719
Triatoma guasayana, 571
Triatominae, 29, 68, 719
triatomine, 1068
vector, 571
vector distribution, 1068
Chandipura virus, 495, 909
Aedes aegypti, 909
RT-PCR, 495
sand flies, 495
Sergentomyia, 495
venereal transmission, 909
vertical transmission, 909
Chelex,
Amblyomma, 694
Babesia, 694
detection, 694
Ixodes, 694
chemical defense,
aldehydes, 647
crested auklet, 647
ectoparasites, 647
mosquito repellent, 647
chickens,
house flies, 128
mechanical transmission, 128
mosquitoes, 128
Reticuloendotheliosis virus, 128
chigger,
Calonectris leucomelas, 537
Euschoengastia suzukii, 537
streaked shearwater, 537
Trombiculidae, 537
China,
Aedes albopictus, 419
bioecology, 419
dengue, 419
Chironomidae,
ammonium nitrogen, 766
Culex, 766
mosquitofish, 766
nitrogen fertilization, 766
Chiroptera,
bats, 497
ectoparasites, 497
Ornithodoros, 497
ticks, 497
chitin,
morphology, 928
peritrophic matrix, 928
sandfly, 928
chlorpyrifos resistance,
Culex quinquefasciatus, 815
insecticide resistance, 815
chromosomal form,
An. gambiae, 998
Cameroon, 998
malaria, 998
molecular form, 998
Chrysomya megacephala, 702, 812
Chrysomya rufifacies, 702
forensic entomology, 702
insecticide, 812
Musca domestica, 812
myiasis, 702
postmortem interval, 702
susceptibility, 812
Chrysomya nigripes,
forensic entomology, 233
identification, 233
larvae, 233
Chrysomya rufifacies,
Chrysomya megacephala, 702
forensic entomology, 702
myiasis, 702
postmortem interval, 702
cinnabar,
Aedes aegypti, 716
kh^{w}, 716
kynurenine hydroxylase, 716
piggyBac, 716
COI,
Anopheles, 7
biogeography, 7
phylogeny, 7
rDNA, 7
COI sequencing,
African horse sickness, 1026
bluetongue, 1026
Culicoides, 1026

COII,
28S, 522
Anopheles, 522
morphology, 522
phylogeny, 522
concerted evolution,
Anopheles aquasalis, 795
intragenomic heterogeneity, 795
ITS, 795
Connecticut,
arbovirus, 875
mosquitoes, 875
Potosi virus, 875
viral isolation, 875
Cordylobia anthropophaga,
myiasis, 187
parasitology, 187
correlation,
fecundity, 254
Ochlerotatus japonicus, 254
wing length, 254
crested auklet,
aldehydes, 647
chemical defense, 647
ectoparasites, 647
mosquito repellent, 647
Ctenocephalides felis,
cat fleas, 631
imidacloprid, 631
insecticide resistance, 631
monitoring, 631
Culex,
ammonium nitrogen, 766
Chironomidae, 766
mosquitofish, 766
nitrogen fertilization, 766
Culex nigripalpus,
amplification, 134
drought, 134
transmission, 134
West Nile virus, 134
Culex pipiens, 301, 789, 838
Culex restuans, 301, 838
cytoplasmic incompatibility, 789
elevation, 301
Flavivirus, 838
host attraction, 301
mobile genetic elements, 789
transmission, 838
uropygial gland, 301
West Nile virus, 838
WO bacteriophage, 789
Culex pipiens pipiens,
overwintering, 490
viral RNA detection, 490
West Nile virus, 490
Culex poicilipes,
Aedes vexans, 739
dispersal, 739
Rift Valley Fever, 739
Senegal, 739
Culex quinquefasciatus,
chlorpyrifos resistance, 815
insecticide resistance, 815
Culex restuans, 301, 838
Culex pipiens, 301, 838
elevation, 301
Flavivirus, 838
host attraction, 301
transmission, 838
uropygial gland, 301
West Nile virus, 838
Culicoides, 63, 1026
African horse sickness, 1026
arbovirus, 63
biting midge, 63
bluetongue, 1026
bovine, 63
COI sequencing, 1026
virus isolation, 63
Culicoides sonorensis,
vector competence, 409
VSV, 409
cutaneous leishmaniasis,
Leishmania tropica, 697
Morocco, 697
Phlebotomus sergenti, 697
sand fly, 697
cuticular hydrocarbons, 29, 780
Chagas disease, 29
Guatemala, 780
Mexico, 780
morphometry, 29
population structure, 780
Triatoma dimidiata, 780
Triatominae, 29
Cyt1A,
Bacillus sphaericus 2362 binary toxin, 337
Bacillus thuringiensis subsp. *jegathesan*, 337
Bacillus thuringiensis subsp. *morrisoni* PG-14, 337
cytoplasmic incompatibility,
Culex pipiens, 789
mobile genetic elements, 789
WO bacteriophage, 789

D

deet,
nepetalactone, 643
repellents, 643
yellowfever mosquito, 643
deforestation, 270, 974
anopheline, 270
gonotrophic cycle, 974
malaria, 974
malaria vector, 270
microclimate, 974
survival analysis, 270
Demodecidae,
Acari, 948
hair follicle mite, 948
new species, 948
rhesus monkey, 948
dengue, 110, 419
Aedes aegypti, 110
Aedes albopictus, 419
bioecology, 419
China, 419
disseminated infection rate, 110
midgut infection rate, 110
selection, 110
Dermacentor andersoni, 153, 376
Anaplasma marginale, 153
hamster assay, 376
host effects, 376
quantitative PCR, 153
Rocky Mountain wood tick, 376
survey, 153
tick paralysis, 376
vector competence, 153
Dermacentor occidentalis,
Anaplasma phagocytophilum, 388
Borrelia burgdorferi, 388
Ixodes pacificus, 388
Sciurus griseus, 388
Dermacentor variabilis, 502, 864
Amblyomma americanum, 864
Anaplasma marginale, 864
capillary tube feeding, 864
dog tick, 502
Massachusetts, 502
MSP1a, 864
symbiont, 502
Dermatobia hominis,
Diptera, 218
larvae, 218
midgut, 218
salivary gland, 218
Dermatophagoides pteronyssinus,
fecundity, 266
humidity, 266
survival, 266
temperature, 266
detection,
Amblyomma, 694
Babesia, 694
Chelex, 694
Ixodes, 694
development, 481, 548
Anopheles gambiae, 548
entomotoxicology, 481
forensic entomology, 481
molecular forms, 548
Phormia regina, 481
rice fields, 548
successional pattern, 481
temporary habitats, 548

developmental rate,
La Réunion Island, 260
stable flies, 260
stage-specific survival, 260
temperature, 260
differential gene expression,
blood-feeding, 36
Borrelia burgdorferi, 36
Ixodes ricinus, 36
subtractive hybridization, 36
Diptera,
Dermatobia hominis, 218
larvae, 218
midgut, 218
salivary gland, 218
Dirofilaria immitis,
Aedes, 1045
French Polynesia, 1045
parity rates, 1045
Wuchereria bancrofti, 1045
disease vector,
arbovirus, 554
Oropouche virus, 554
tropical *Culicoides*, 554
dispersal, 247, 739
Aedes vexans, 739
Culex poicilipes, 739
EBA, 247
intraspecific variation, 247
Ornithodoros coriaceus, 247
Rift Valley Fever, 739
Senegal, 739
disseminated infection rate,
Aedes aegypti, 110
dengue, 110
midgut infection rate, 110
selection, 110
distribution,
Arachnida, 512
Loxosceles reclusa, 512
misidentifications, 512
DNA extraction,
automated, 1063
polymerase chain reaction, 1063
robotic, 1063
ticks, 1063
DNA storage,
Campylobacter, 709
house fly, 709
pathogen, 709
polymerase chain reaction, 709
dog tick,
Dermacentor variabilis, 502
Massachusetts, 502
symbiont, 502
drought,
amplification, 134
Culex nigripalpus, 134
transmission, 134
West Nile virus, 134

E

E. coli,
house fly, 397
retention, 397
stable fly, 397
EBA,
dispersal, 247
intraspecific variation, 247
Ornithodoros coriaceus, 247
ectoparasites, 125, 497, 647
aldehydes, 647
bats, 125, 497
chemical defense, 647
Chiroptera, 497
crested auklet, 647
host–parasite relationships, 125
Mexico, 125
mites, 125
mosquito repellent, 647
Ornithodoros, 497
ticks, 497
Ecuador,
Chagas disease, 68
Rhodnius ecuadoriensis, 68
Triatoma carrioni, 68
Triatominae, 68
egg, 1, 89, 732
head louse, 89
house fly, 732
Insecta, 1
louse infestation, 89
mosquito, 1
Musca domestica, 732
nit removal, 89
Ohio, 732
Pediculus, 89
poultry, 732
scanning electron microscopy, 1
ultrastructure, 1
egg hatchability,
Anopheles gambiae, 993
land use, 993
malaria, 993
oviposition, 993
eggshell,
Liosarcophaga dux, 86
oviparity, 86
ultrastructure, 86
'Ehrlichia walkeri',
gltA, 82
Italy, 82
Ixodes ricinus, 82
EIR,
Anopheles, 180
CDC light traps, 180
malaria, 180
Mozambique, 180
electron microscopy,
apoptosis, 429
pathology, 429
salivary glands, 429
West Nile virus, 429
elevation,
Culex pipiens, 301
Culex restuans, 301
host attraction, 301
uropygial gland, 301
embryogenesis,
foregut, 541
Ixodes ricinus, 541
midgut, 541
empirical Bayes,
epidemic, 899
incidence, 899
Lyme disease, 899
spatial, 899
encephalitis, 404, 857
alphavirus, 404, 857
arbovirus, 404, 857
mosquito, 857
transmission, 404
vector, 404, 857
encounter frequencies,
A. americanum, 450
I. scapularis, 450
infection prevalence, 450
endosymbiont,
in situ hybridization, 120
mosquito, 120
Wolbachia, 120
entomopathogenic fungi, 332, 346
Beauveria bassiana, 332, 346
biological control, 332
fungus production, 332
Musca domestica, 332
oxalate, 346
pH, 346
tick biocontrol, 346
entomotoxicology,
development, 481
forensic entomology, 481
Phormia regina, 481
successional pattern, 481
epidemic, 882, 899
Barmah Forest, 882
empirical Bayes, 899
incidence, 899
Lyme disease, 899
Ross River, 882
spatial, 899
virus, 882
esterases,
acaricide resistance, 1020
Boophilus microplus, 1020
sodium channels, 1020
Euschoengastia suzukii,
Calonectris leucomelas, 537
chigger, 537
streaked shearwater, 537
Trombiculidae, 537

eye parameter,
Aedes aegypti, 312
Aedes albopictus, 312
nocturnal behavior, 312
photoelectric sensor, 312

F

fecundity, 254, 266, 620
Aedes aegypti, 620
correlation, 254
Dermatophagoides pteronyssinus, 266
horizontal transfer, 620
humidity, 266
mortality, 620
Ochlerotatus japonicus, 254
pyriproxyfen, 620
survival, 266
temperature, 266
wing length, 254
Flavivirus,
Culex pipiens, 838
Culex restuans, 838
transmission, 838
West Nile virus, 838
flea,
Anomiopsyllus nudata, 163
Neotoma albigula, 163
New World, 163
Rickettsia felis, 163
Flinders Island spotted fever,
Hemaphysalis novaeguineae, 918
Rickettsia honei, 918
Thai tick typhus, 918
food habitats,
Haemagogus janthinomys, 981
insect vectors, 981
mosquito, 981
forage ratio,
Aedes aegypti, 844
Aedes albopictus, 844
blood feeding, 844
Thailand, 844
foregut,
embryogenesis, 541
Ixodes ricinus, 541
midgut, 541
forensic entomology, 193, 233, 481, 702
arthropod succession, 193
Chrysomya megacephala, 702
Chrysomya nigripes, 233
Chrysomya rufifacies, 702
development, 481
entomotoxicology, 481
identification, 233
larvae, 233
myiasis, 702
necrophilous insects, 193
Phormia regina, 481
poaching, 193
postmortem interval, 702
successional pattern, 481
wildlife, 193
French Polynesia,
Aedes, 1045
Dirofilaria immitis, 1045
parity rates, 1045
Wuchereria bancrofti, 1045
fungus production,
Beauveria bassiana, 332
biological control, 332
entomopathogenic fungi, 332
Musca domestica, 332

G

Ganjam virus,
India, 204
ticks, 204
virus isolation, 204
gene flow,
Aedes aegypti, 604
genetics, 604
isozymes, 604
Thailand, 604
genetics,
Aedes aegypti, 604
gene flow, 604
isozymes, 604
Thailand, 604
genome,
antithrombin, 805
black fly, 805
sex chromosome, 805
vasodilator, 805
geostatistics,
adaptive management, 1006
mapping, 1006
monitoring, 1006
tsetse populations, 1006
Glossina,
infection, 1035
T. b. brucei, 1035
T. congolense, 1035
vector competence, 1035
gltA,
Italy, 82
Ixodes ricinus, 82
'Ehrlichia walkeri', 82
gonotrophic cycle,
deforestation, 974
malaria, 974
microclimate, 974
green fluorescent protein,
mixed infection, 48
Trypanosoma cruzi, 48
Trypanosoma rangeli, 48
Guanajuato,
Chagas disease, 1068
Mexico, 1068
triatomine, 1068
vector distribution, 1068
Guandu Nature Park,
Japanese encephalitis virus, 1085
mosquitoes, 1085
Taipei City, 1085
Guatemala,
cuticular hydrocarbons, 780
Mexico, 780
population structure, 780
Triatoma dimidiata, 780

H

habitat,
Amblyomma americanum, 285
Ixodes scapularis, 285
Lyme disease, 285
microclimate, 285
habitat selection,
anthropic environment, 756
loxoscelism, 756
habitat size,
Anopheles gambiae, 295
larval ecology, 295
pupal occurrence, 295
stability, 295
Haemagogus janthinomys,
food habitats, 981
insect vectors, 981
mosquito, 981
hair follicle mite,
Acari, 948
Demodecidae, 948
new species, 948
rhesus monkey, 948
hamster assay,
Dermacentor andersoni, 376
host effects, 376
Rocky Mountain wood tick, 376
tick paralysis, 376
head louse,
eggs, 89
louse infestation, 89
nit removal, 89
Pediculus, 89
Hemaphysalis novaeguineae,
Flinders Island spotted fever, 918
Rickettsia honei, 918
Thai tick typhus, 918
hematoporphyrin,
larva control, 652
mosquito vectors, 652
photosensitizer, 652
rose bengal, 652
hindgut,
Leishmania major, 142
myoinhibition, 142
Phlebotomus papatasi, 142
vector competence, 142

histology,
meconial PM, 939
mosquito, 939
peritrophic matrix, 939
ultrastructure, 939
horizontal transfer,
Aedes aegypti, 620
fecundity, 620
mortality, 620
pyriproxyfen, 620
host attraction,
Culex pipiens, 301
Culex restuans, 301
elevation, 301
uropygial gland, 301
host effects,
Dermacentor andersoni, 376
hamster assay, 376
Rocky Mountain wood tick, 376
tick paralysis, 376
host–parasite relationships,
bats, 125
ectoparasites, 125
Mexico, 125
mites, 125
house fly, 128, 397, 709, 732
Campylobacter, 709
chickens, 128
DNA storage, 709
E. coli, 397
egg, 732
mechanical transmission, 128
mosquitoes, 128
Musca domestica, 732
Ohio, 732
pathogen, 709
polymerase chain reaction, 709
poultry, 732
retention, 397
Reticuloendotheliosis virus, 128
stable fly, 397
human-landing catch,
malaria vectors, 104
odor-baited entry trap, 104
sampling method, 104
Senegal, 104
humidity,
Dermatophagoides pteronyssinus, 266
fecundity, 266
survival, 266
temperature, 266
Hyrcanus group,
Anopheles, 610
ITS2, 610
phylogenetic relationship, 610
rDNA, 610

I

I. scapularis,
A. americanum, 450
encounter frequencies, 450
infection prevalence, 450
identification,
Chrysomya nigripes, 233
forensic entomology, 233
larvae, 233
identification keys, 224, 953
Afrorhynchus, 224, 953
new species, 224
systematics, 953
Toxorhynchites, 224, 953
imidacloprid,
cat fleas, 631
Ctenocephalides felis, 631
insecticide resistance, 631
monitoring, 631
in situ hybridization,
endosymbiont, 120
mosquito, 120
Wolbachia, 120
incidence,
empirical Bayes, 899
epidemic, 899
Lyme disease, 899
spatial, 899
India,
Ganjam virus, 204
ticks, 204
virus isolation, 204
infection,
Glossina, 1035
T. b. brucei, 1035
T. congolense, 1035
vector competence, 1035
infection prevalence,
A. americanum, 450
encounter frequencies, 450
I. scapularis, 450
inhibition,
nepetalactone, 306
olfactometer, 306
repellents, 306
insect growth regulator,
Aedes aegypti, 830
methoprene, 830
temephos, 830
vector control, 830
insect vectors,
food habitats, 981
Haemagogus janthinomys, 981
mosquito, 981
Insecta,
eggs, 1
mosquito, 1
scanning electron microscopy, 1
ultrastructure, 1
insecticide,
Chrysomya megacephala, 812
Musca domestica, 812
susceptibility, 812
insecticide resistance, 631, 637, 815, 821
Aedes, 821
cat fleas, 631
chlorpyrifos resistance, 815
Ctenocephalides felis, 631
Culex quinquefasciatus, 815
imidacloprid, 631
malathion, 821
monitoring, 631
monooxygenases, 637
permethrin, 821
resistance ratios, 637
temephos, 821
Triatoma infestans, 637
intestine,
antibody, 359
receptor, 359
tick, 359
vector, 359
intragenomic heterogeneity,
Anopheles aquasalis, 795
concerted evolution, 795
ITS, 795
intraspecific variation,
dispersal, 247
EBA, 247
Ornithodoros coriaceus, 247
isolation,
mosquitoes, 891
Peru, 891
virus, 891
isozyme, 319, 604
Aedes aegypti, 604
Anopheles oswaldoi s. l., 319
Brazilian Amazon, 319
gene flow, 604
genetics, 604
malaria, 319
population genetics, 319
Thailand, 604
Italy, 82, 168
Borrelia garinii, 168
Borrelia valaisiana, 168
gltA, 82
Ixodes ricinus, 82, 168
Turdus merula, 168
'Ehrlichia walkeri', 82
ITS,
Anopheles aquasalis, 795
concerted evolution, 795
intragenomic heterogeneity, 795
ITS2,
Anopheles, 610
Hyrcanus group, 610
phylogenetic relationship, 610
rDNA, 610

Ixodes, 582, 694, 1057
activity, 582
Amblyomma, 694
Babesia, 694
behavioral ecology, 582
Borrelia, 1057
Chelex, 694
detection, 694
multiplex real-time PCR, 1057
seasonality, 582
ticks, 582
Ixodes pacificus, 75, 388
Anaplasma phagocytophilum, 388
Borrelia burgdorferi, 388
Dermacentor occidentalis, 388
Landsat, 75
Lyme disease, 75
normalized difference vegetation index, 75
remote sensing, 75
Sciurus griseus, 388
Ixodes philipi,
Calonectris leucomelas, 213
streaked shearwater, 213
Ixodes ricinus, 36, 82, 168, 541, 850
blood-feeding, 36
Borrelia burgdorferi, 36, 850
Borrelia garinii, 168
Borrelia valaisiana, 168
differential gene expression, 36
embryogenesis, 541
foregut, 541
gltA, 82
Italy, 82, 168
midgut, 541
reservoirs, 850
small rodents, 850
subtractive hybridization, 36
Turdus merula, 168
'Ehrlichia walkeri', 82
Ixodes scapularis, 285, 352, 457, 506, 966
Aedes aegypti, 352
Amblyomma americanum, 285
Borrelia burgdorferi, 457, 506
habitat, 285
Lyme disease, 285, 506, 966
microclimate, 285
natural products, 352
nootkatone, 352
Peromyscus leucopus, 457
prevalence, 457
salivary glands, 506
strain W97F51, 457
Tamias striatus, 966
Xenopsylla cheopis, 352

J

Japanese encephalitis virus,
Guandu Nature Park, 1085
mosquitoes, 1085
Taipei City, 1085

K

Kenya,
Anopheles, 241
malaria, 241
mosquito distribution, 241
kh^{w},
Aedes aegypti, 716
cinnabar, 716
kynurenine hydroxylase, 716
piggyBac, 716
knockdown resistance,
allele-specific polymerase chain reaction, 826
Pediculus humanus capitis, 826
pyrethroid resistance, 826
kynurenine hydroxylase,
Aedes aegypti, 716
cinnabar, 716
kh^{w}, 716
piggyBac, 716

L

La Réunion Island, 260, 959
developmental rate, 260
rate of increase, 959
reproduction, 959
stable flies, 260
stage-specific survival, 260
Stomoxyines, 959
temperature, 260, 959
land use,
Anopheles gambiae, 993
egg hatchability, 993
malaria, 993
oviposition, 993
land use land cover,
Anopheles gambiae, 751
multispectral thermal imager, 751
Landsat,
Ixodes pacificus, 75
Lyme disease, 75
normalized difference vegetation index, 75
remote sensing, 75
larva control,
hematoporphyrin, 652
mosquito vectors, 652
photosensitizer, 652
rose bengal, 652
larvae, 218, 233, 801
Anopheles stephensi, 801
arrestin, 801
Chrysomya nigripes, 233
Dermatobia hominis, 218
Diptera, 218
forensic entomology, 233
identification, 233
light deprivation, 801
midgut, 218
salivary gland, 218
larval ecology, 295, 726
Aedes aegypti, 726
Aedes albopictus, 726
Africa, 726
Anopheles gambiae, 295
Cameroon, 726
habitat size, 295
pupal occurrence, 295
stability, 295
larval immersion microassay,
acaricide, 207
benzimidazole-carbamate, 207
Boophilus, 207
resistance, 207
Leishmania major,
hindgut, 142
myoinhibition, 142
Phlebotomus papatasi, 142
vector competence, 142
Leishmania tropica,
cutaneous leishmaniasis, 697
Morocco, 697
Phlebotomus sergenti, 697
sand fly, 697
leishmaniasis,
activity biting rhythms, 986
sand flies, 986
lesser mealworm,
Alphitobius diaperinus, 42
Campylobacter jejuni, 42
reservoir competence, 42
light deprivation,
Anopheles stephensi, 801
arrestin, 801
larvae, 801
Liosarcophaga dux,
eggshell, 86
oviparity, 86
ultrastructure, 86
louse infestation,
eggs, 89
head louse, 89
nit removal, 89
Pediculus, 89
Loxosceles mulege,
Baja California, 1082
Sicariidae, 1082
taxonomy, 1082
Loxosceles reclusa,
Arachnida, 512
distribution, 512
misidentifications, 512
loxoscelism,
anthropic environment, 756
habitat selection, 756

lp25,
lp28-1, 676
Lyme disease, 676
spirochete, 676
vector-borne, 676
lp28-1,
lp25, 676
Lyme disease, 676
spirochete, 676
vector-borne, 676
Lyme disease, 75, 285, 506, 676, 899, 966
Amblyomma americanum, 285
Borrelia burgdorferi, 506
empirical Bayes, 899
epidemic, 899
habitat, 285
incidence, 899
Ixodes pacificus, 75
Ixodes scapularis, 285, 506, 966
Landsat, 75
lp25, 676
lp28-1, 676
microclimate, 285
normalized difference vegetation index, 75
remote sensing, 75
salivary glands, 506
spatial, 899
spirochete, 676
Tamias striatus, 966
vector-borne, 676

M

malaria, 180, 241, 319, 712, 777, 974, 993, 998
An. gambiae, 998
Anopheles, 180, 241
Anopheles darlingi, 777
Anopheles gambiae, 993
Anopheles oswaldoi s. l., 319
asymptomatic infection, 777
Brazilian Amazon, 319
Cameroon, 998
CDC light traps, 180
chromosomal form, 998
deforestation, 974
egg hatchability, 993
EIR, 180
gonotrophic cycle, 974
isozyme, 319
Kenya, 241
land use, 993
melanization, 712
microclimate, 974
molecular form, 998
mosquito, 712
mosquito distribution, 241
mosquito feeding, 777
Mozambique, 180
oviposition, 993
population genetics, 319
Sephadex beads, 712
malaria vector, 104, 270
anopheline, 270
deforestation, 270
human-landing catch, 104
odor-baited entry trap, 104
sampling method, 104
Senegal, 104
survival analysis, 270
malathion,
Aedes, 821
insecticide resistance, 821
permethrin, 821
temephos, 821
male,
Amblyomma rotundatum, 945
Brazil, 945
Rondônia, 945
Tropidurus, 945
mapping,
adaptive management, 1006
geostatistics, 1006
monitoring, 1006
tsetse populations, 1006
Massachusetts,
Dermacentor variabilis, 502
dog tick, 502
symbiont, 502
mechanical transmission, 128, 668
Anaplasma marginale, 668
biological transmission, 668
chickens, 128
house flies, 128
mosquitoes, 128
Reticuloendotheliosis virus, 128
stable flies, 668
ticks, 668
meconial PM,
histology, 939
mosquito, 939
peritrophic matrix, 939
ultrastructure, 939
melanization,
malaria, 712
mosquito, 712
Sephadex beads, 712
methoprene,
Aedes aegypti, 830
insect growth regulator, 830
temephos, 830
vector control, 830
Mexico, 125, 780, 1068
bats, 125
Chagas disease, 1068
cuticular hydrocarbons, 780
ectoparasites, 125
Guanajuato, 1068
Guatemala, 780
host–parasite relationships, 125
mites, 125
population structure, 780
Triatoma dimidiata, 780
triatomine, 1068
vector distribution, 1068
microclimate, 285, 974
Amblyomma americanum, 285
deforestation, 974
gonotrophic cycle, 974
habitat, 285
Ixodes scapularis, 285
Lyme disease, 285
malaria, 974
microhabitat,
arbovirus, 685
mosquito larval development, 685
palustrine wetland, 685
midgut, 218, 541
Dermatobia hominis, 218
Diptera, 218
embryogenesis, 541
foregut, 541
Ixodes ricinus, 541
larvae, 218
salivary gland, 218
midgut infection rate,
Aedes aegypti, 110
dengue, 110
disseminated infection rate, 110
selection, 110
misidentifications,
Arachnida, 512
distribution, 512
Loxosceles reclusa, 512
mites,
bats, 125
ectoparasites, 125
host–parasite relationships, 125
Mexico, 125
mitochondrial DNA, 19, 589
Aedes, 19
PCR-restriction fragment-length polymorphism, 19
polymerase chain reaction-restriction fragment length polymorphism, 589
population structure, 589
screwworm, 589
Uruguay, 589
mixed infection,
green fluorescent protein, 48
Trypanosoma cruzi, 48
Trypanosoma rangeli, 48
mobile genetic elements,
Culex pipiens, 789
cytoplasmic incompatibility, 789
WO bacteriophage, 789

moisture,
population dynamics, 705
stable fly, 705
Stomoxys, 705
molecular form, 548, 998
Anopheles gambiae, 548
Cameroon, 998
chromosomal form, 998
development, 548
malaria, 998
rice fields, 548
temporary habitats, 548
monitoring, 631, 1006
adaptive management, 1006
cat fleas, 631
Ctenocephalides felis, 631
geostatistics, 1006
imidacloprid, 631
insecticide resistance, 631
mapping, 1006
tsetse populations, 1006
monooxygenase, 342, 637
insecticide resistance, 637
P450, 342
Pediculus humanus capitis, 342
permethrin resistance, 342
resistance ratios, 637
Triatoma infestans, 637
Morocco,
cutaneous leishmaniasis, 697
Leishmania tropica, 697
Phlebotomus sergenti, 697
sand fly, 697
morphology, 522, 928
28S, 522
Anopheles, 522
chitin, 928
COII, 522
peritrophic matrix, 928
phylogeny, 522
sandfly, 928
morphometry,
Chagas disease, 29
cuticular hydrocarbons, 29
Triatominae, 29
mortality,
Aedes aegypti, 620
fecundity, 620
horizontal transfer, 620
pyriproxyfen, 620
mosquito, 1, 57, 120, 128, 712, 857, 875, 891, 939, 981, 1085
alphavirus, 857
arbovirus, 857, 875
chickens, 128
Connecticut, 875
eggs, 1
encephalitis, 857
endosymbiont, 120
food habitats, 981
Guandu Nature Park, 1085
Haemagogus janthinomys, 981
histology, 939
house flies, 128
in situ hybridization, 120
insect vectors, 981
Insecta, 1
isolation, 891
Japanese encephalitis virus, 1085
malaria, 712
mechanical transmission, 128
meconial PM, 939
melanization, 712
peritrophic matrix, 939
Peru, 891
Potosi virus, 875
Reticuloendotheliosis virus, 128
scanning electron microscopy, 1
Sephadex beads, 712
Taipei City, 1085
transmission, 57
ultrastructure, 1, 939
vector, 857
vector competence, 57
viral isolation, 875
virus, 891
West Nile virus, 57
Wolbachia, 120
mosquito classification,
Aedes, 923
Aedini classification, 923
Ochlerotatus, 923
paraphylyphobia, 923
mosquito distribution,
Anopheles, 241
Kenya, 241
malaria, 241
mosquito ecology,
aquatic habitats, 278
spatial distribution, 278
Venezuela, 278
Venezuelan equine encephalitis vectors, 278
mosquito feeding,
Anopheles darlingi, 777
asymptomatic infection, 777
malaria, 777
mosquito larval development,
arbovirus, 685
microhabitat, 685
palustrine wetland, 685
mosquito repellent,
aldehydes, 647
chemical defense, 647
crested auklet, 647
ectoparasites, 647
mosquito vector competence,
avian host competence, 367
St. Louis encephalitis virus, 367
transmission, 367
West Nile virus, 367
mosquito vectors,
hematoporphyrin, 652
larva control, 652
photosensitizer, 652
rose bengal, 652
mosquitofish,
ammonium nitrogen, 766
Chironomidae, 766
Culex, 766
nitrogen fertilization, 766
Mozambique,
Anopheles, 180
CDC light traps, 180
EIR, 180
malaria, 180
MSP1a,
Amblyomma americanum, 864
Anaplasma marginale, 864
capillary tube feeding, 864
Dermacentor variabilis, 864
multiplex real-time PCR,
Borrelia, 1057
Ixodes, 1057
multispectral thermal imager,
Anopheles gambiae, 751
land use land cover, 751
Musca domestica, 332, 732, 812
Beauveria bassiana, 332
biological control, 332
Chrysomya megacephala, 812
egg, 732
entomopathogenic fungi, 332
fungus production, 332
house fly, 732
insecticide, 812
Ohio, 732
poultry, 732
susceptibility, 812
myiasis, 187, 702
Chrysomya megacephala, 702
Chrysomya rufifacies, 702
Cordylobia anthropophaga, 187
forensic entomology, 702
parasitology, 187
postmortem interval, 702
myoinhibition,
hindgut, 142
Leishmania major, 142
Phlebotomus papatasi, 142
vector competence, 142

N

natural products,
Aedes aegypti, 352
Ixodes scapularis, 352
nootkatone, 352
Xenopsylla cheopis, 352
necrophilous insects,
arthropod succession, 193
forensic entomology, 193
poaching, 193
wildlife, 193

Neotoma albigula,
Anomiopsyllus nudata, 163
flea, 163
New World, 163
Rickettsia felis, 163
nepetalactone, 306, 643
deet, 643
inhibition, 306
olfactometer, 306
repellents, 306, 643
yellowfever mosquito, 643
new species, 224, 948
Acari, 948
Afrorhynchus, 224
Demodecidae, 948
hair follicle mite, 948
identification keys, 224
rhesus monkey, 948
Toxorhynchites, 224
New World,
Anomiopsyllus nudata, 163
flea, 163
Neotoma albigula, 163
Rickettsia felis, 163
nit removal,
eggs, 89
head louse, 89
louse infestation, 89
Pediculus, 89
nitrogen fertilization,
ammonium nitrogen, 766
Chironomidae, 766
Culex, 766
mosquitofish, 766
nocturnal behavior,
Aedes aegypti, 312
Aedes albopictus, 312
eye parameter, 312
photoelectric sensor, 312
nootkatone,
Aedes aegypti, 352
Ixodes scapularis, 352
natural products, 352
Xenopsylla cheopis, 352
normalized difference vegetation index,
Ixodes pacificus, 75
Landsat, 75
Lyme disease, 75
remote sensing, 75
northern cardinal,
American robin, 445
Borrelia burgdorferi, 445
reservoir competence, 445
song sparrow, 445

O

Ochlerotatus,
Aedes, 923
Aedini classification, 923
mosquito classification, 923
paraphylyphobia, 923
Ochlerotatus japonicus,
correlation, 254
fecundity, 254
wing length, 254
odor-baited entry trap,
human-landing catch, 104
malaria vectors, 104
sampling method, 104
Senegal, 104
Oestrus ovis,
ovine, 327
risk factors, 327
seroprevalence, 327
Spain, 327
Ohio,
egg, 732
house fly, 732
Musca domestica, 732
poultry, 732
olfactometer,
inhibition, 306
nepetalactone, 306
repellents, 306
Ornithodoros,
bats, 497
Chiroptera, 497
ectoparasites, 497
ticks, 497
Ornithodoros coriaceus,
dispersal, 247
EBA, 247
intraspecific variation, 247
Oropouche virus,
arbovirus, 554
disease vector, 554
tropical *Culicoides*, 554
overwintering,
Culex pipiens pipiens, 490
viral RNA detection, 490
West Nile virus, 490
ovine,
Oestrus ovis, 327
risk factors, 327
seroprevalence, 327
Spain, 327
oviparity,
eggshell, 86
Liosarcophaga dux, 86
ultrastructure, 86
oviposition, 95, 993
Anopheles albimanus, 95
Anopheles gambiae, 993
Anopheles vestitipennis, 95
egg hatchability, 993
land use, 993
malaria, 993
oxalate,
Beauveria bassiana, 346
entomopathogenic fungi, 346
pH, 346
tick biocontrol, 346

P

P450,
monooxygenase, 342
Pediculus humanus capitis, 342
permethrin resistance, 342
palustrine wetland,
arbovirus, 685
microhabitat, 685
mosquito larval development, 685
paraphylyphobia,
Aedes, 923
Aedini classification, 923
mosquito classification, 923
Ochlerotatus, 923
parasitology,
Cordylobia anthropophaga, 187
myiasis, 187
parity rates,
Aedes, 1045
Dirofilaria immitis, 1045
French Polynesia, 1045
Wuchereria bancrofti, 1045
pathogen,
Campylobacter, 709
DNA storage, 709
house fly, 709
polymerase chain reaction, 709
pathology,
apoptosis, 429
electron microscopy, 429
salivary glands, 429
West Nile virus, 429
PCR-restriction fragment-length polymorphism,
Aedes, 19
mitochondrial DNA, 19
Pediculus,
eggs, 89
head louse, 89
louse infestation, 89
nit removal, 89
Pediculus humanus capitis, 342, 826
allele-specific polymerase chain reaction, 826
knockdown resistance, 826
monooxygenase, 342
P450, 342
permethrin resistance, 342
pyrethroid resistance, 826
peritrophic matrix, 928, 939
chitin, 928
histology, 939
meconial PM, 939
morphology, 928
mosquito, 939
sandfly, 928
ultrastructure, 939

permethrin,
Aedes, 821
insecticide resistance, 821
malathion, 821
temephos, 821
permethrin resistance,
monooxygenase, 342
P450, 342
Pediculus humanus capitis, 342
Peromyscus leucopus,
Borrelia burgdorferi, 457
Ixodes scapularis, 457
prevalence, 457
strain W97F51, 457
Peru,
isolation, 891
mosquitoes, 891
virus, 891
pesticide resistance,
acaricide, 912
Boophilus, 912
cattle tick, 912
Rhipicephalus, 912
pH,
Beauveria bassiana, 346
entomopathogenic fungi, 346
oxalate, 346
tick biocontrol, 346
Phlebotomus papatasi,
hindgut, 142
Leishmania major, 142
myoinhibition, 142
vector competence, 142
Phlebotomus sergenti,
cutaneous leishmaniasis, 697
Leishmania tropica, 697
Morocco, 697
sand fly, 697
Phormia regina,
development, 481
entomotoxicology, 481
forensic entomology, 481
successional pattern, 481
photoelectric sensor,
Aedes aegypti, 312
Aedes albopictus, 312
eye parameter, 312
nocturnal behavior, 312
photosensitizer,
hematoporphyrin, 652
larva control, 652
mosquito vectors, 652
rose bengal, 652
phyllosoma group,
antennal sensilla, 719
Chagas disease, 719
Triatoma dimidiata, 719
Triatominae, 719
phylogenetic relationship,
Anopheles, 610
Hyrcanus group, 610
ITS2, 610
rDNA, 610
phylogeny, 7, 522
28S, 522
Anopheles, 7, 522
biogeography, 7
COI, 7
COII, 522
morphology, 522
rDNA, 7
pigeon,
arbovirus, 1039
sentinel, 1039
surveillance, 1039
West Nile virus, 1039
piggyBac,
Aedes aegypti, 716
cinnabar, 716
kh^{w}, 716
kynurenine hydroxylase, 716
poaching,
arthropod succession, 193
forensic entomology, 193
necrophilous insects, 193
wildlife, 193
polyandry,
assortive mating, 596
postmating reproductive isolation, 596
speciation, 596
polymerase chain reaction, 709, 1063
automated, 1063
Campylobacter, 709
DNA extraction, 1063
DNA storage, 709
house fly, 709
pathogen, 709
robotic, 1063
ticks, 1063
polymerase chain reaction-restriction fragment length polymorphism,
mitochondrial DNA, 589
population structure, 589
screwworm, 589
Uruguay, 589
population dynamics,
moisture, 705
stable fly, 705
Stomoxys, 705
population genetics,
Anopheles oswaldoi s. l., 319
Brazilian Amazon, 319
isozyme, 319
malaria, 319
population structure, 589, 780
cuticular hydrocarbons, 780
Guatemala, 780
Mexico, 780
mitochondrial DNA, 589
polymerase chain reaction-restriction fragment length polymorphism, 589
screwworm, 589
Triatoma dimidiata, 780
Uruguay, 589
postmating reproductive isolation,
assortive mating, 596
polyandry, 596
speciation, 596
postmortem interval,
Chrysomya megacephala, 702
Chrysomya rufifacies, 702
forensic entomology, 702
myiasis, 702
Potosi virus,
arbovirus, 875
Connecticut, 875
mosquitoes, 875
viral isolation, 875
poultry,
egg, 732
house fly, 732
Musca domestica, 732
Ohio, 732
prevalence,
Borrelia burgdorferi, 457
Ixodes scapularis, 457
Peromyscus leucopus, 457
strain W97F51, 457
pupal occurrence,
Anopheles gambiae, 295
habitat size, 295
larval ecology, 295
stability, 295
pyrethroid resistance,
allele-specific polymerase chain reaction, 826
knockdown resistance, 826
Pediculus humanus capitis, 826
pyriproxyfen,
Aedes aegypti, 620
fecundity, 620
horizontal transfer, 620
mortality, 620

Q

quantitative PCR,
Anaplasma marginale, 153
Dermacentor andersoni, 153
survey, 153
vector competence, 153

R

rate of increase,
La Réunion island, 959
reproduction, 959
Stomoxyines, 959
temperature, 959
rDNA, 7, 610
Anopheles, 7, 610
biogeography, 7

COI, 7
Hyrcanus group, 610
ITS2, 610
phylogenetic relationship, 610
phylogeny, 7
receptor,
antibody, 359
intestine, 359
tick, 359
vector, 359
remote sensing,
Ixodes pacificus, 75
Landsat, 75
Lyme disease, 75
normalized difference vegetation index, 75
repellents, 306, 643
deet, 643
inhibition, 306
nepetalactone, 306, 643
olfactometer, 306
yellowfever mosquito, 643
reproduction,
La Réunion island, 959
rate of increase, 959
Stomoxyines, 959
temperature, 959
reservoir competence, 42, 445
Alphitobius diaperinus, 42
American robin, 445
Borrelia burgdorferi, 445
Campylobacter jejuni, 42
lesser mealworm, 42
northern cardinal, 445
song sparrow, 445
reservoirs,
Borrelia burgdorferi, 850
Ixodes ricinus, 850
small rodents, 850
resistance,
acaricide, 207
benzimidazole-carbamate, 207
Boophilus, 207
larval immersion microassay, 207
resistance ratios,
insecticide resistance, 637
monooxygenases, 637
Triatoma infestans, 637
retention,
E. coli, 397
house fly, 397
stable fly, 397
Reticuloendotheliosis virus,
chickens, 128
house flies, 128
mechanical transmission, 128
mosquitoes, 128
rhesus monkey,
Acari, 948
Demodecidae, 948
hair follicle mite, 948
new species, 948
Rhipicephalus,
acaricide, 912
Boophilus, 912
cattle tick, 912
pesticide resistance, 912
Rhodnius ecuadoriensis,
Chagas disease, 68
Ecuador, 68
Triatoma carrioni, 68
Triatominae, 68
rice fields,
Anopheles gambiae, 548
development, 548
molecular forms, 548
temporary habitats, 548
Rickettsia,
argasid, 473
Bartonella, 473
Borrelia, 473
Carios kelleyi, 473
Rickettsia felis,
Anomiopsyllus nudata, 163
flea, 163
Neotoma albigula, 163
New World, 163
Rickettsia honei,
Flinders Island spotted fever, 918
Hemaphysalis novaeguineae, 918
Thai tick typhus, 918
Rickettsia parkeri,
Amblyomma maculatum, 176
American boutonneuse fever, 176
seasonality, 176
Rift Valley Fever,
Aedes vexans, 739
Culex poicilipes, 739
dispersal, 739
Senegal, 739
risk factors,
Oestrus ovis, 327
ovine, 327
seroprevalence, 327
Spain, 327
robotic,
automated, 1063
DNA extraction, 1063
polymerase chain reaction, 1063
ticks, 1063
Rocky Mountain wood tick,
Dermacentor andersoni, 376
hamster assay, 376
host effects, 376
tick paralysis, 376
Rondônia,
Amblyomma rotundatum, 945
Brazil, 945
male, 945
Tropidurus, 945
rose bengal,
hematoporphyrin, 652
larva control, 652
mosquito vectors, 652
photosensitizer, 652
Ross River,
Barmah Forest, 882
epidemic, 882
virus, 882
RT-PCR,
Chandipura virus, 495
sand flies, 495
Sergentomyia, 495

S

28S,
Anopheles, 522
COII, 522
morphology, 522
phylogeny, 522
salivary gland, 218, 429, 506
apoptosis, 429
Borrelia burgdorferi, 506
Dermatobia hominis, 218
Diptera, 218
electron microscopy, 429
Ixodes scapularis, 506
larvae, 218
Lyme disease, 506
midgut, 218
pathology, 429
West Nile virus, 429
sampling method,
human-landing catch, 104
malaria vectors, 104
odor-baited entry trap, 104
Senegal, 104
sand fly, 495, 928, 986
activity biting rhythms, 986
Chandipura virus, 495
chitin, 928
cutaneous leishmaniasis, 697
Leishmania tropica, 697
leishmaniasis, 986
Morocco, 697
morphology, 928
peritrophic matrix, 928
Phlebotomus sergenti, 697
RT-PCR, 495
Sergentomyia, 495
scanning electron microscopy,
eggs, 1
Insecta, 1
mosquito, 1
ultrastructure, 1
Sciurus griseus,
Anaplasma phagocytophilum, 388
Borrelia burgdorferi, 388
Dermacentor occidentalis, 388
Ixodes pacificus, 388

Scopulariopsis brevicaulis,
tick, 383
transmission, 383
vector, 383
screwworm,
mitochondrial DNA, 589
polymerase chain reaction-restriction fragment length polymorphism, 589
population structure, 589
Uruguay, 589
seasonality, 176, 582
activity, 582
Amblyomma maculatum, 176
American boutonneuse fever, 176
behavioral ecology, 582
Ixodes, 582
Rickettsia parkeri, 176
ticks, 582
selection,
Aedes aegypti, 110
dengue, 110
disseminated infection rate, 110
midgut infection rate, 110
Senegal, 104, 739
Aedes vexans, 739
Culex poicilipes, 739
dispersal, 739
human-landing catch, 104
malaria vectors, 104
odor-baited entry trap, 104
Rift Valley Fever, 739
sampling method, 104
sentinel,
arbovirus, 1039
pigeon, 1039
surveillance, 1039
West Nile virus, 1039
Sephadex beads,
malaria, 712
melanization, 712
mosquito, 712
Sergentomyia,
Chandipura virus, 495
RT-PCR, 495
sand flies, 495
seroprevalence,
Oestrus ovis, 327
ovine, 327
risk factors, 327
Spain, 327
sex chromosome,
antithrombin, 805
black fly, 805
genome, 805
vasodilator, 805
Sicariidae,
Baja California, 1082
Loxosceles mulege, 1082
taxonomy, 1082
small rodents,
Borrelia burgdorferi, 850
Ixodes ricinus, 850
reservoirs, 850
sodium channels,
acaricide resistance, 1020
Boophilus microplus, 1020
esterases, 1020
song sparrow,
American robin, 445
Borrelia burgdorferi, 445
northern cardinal, 445
reservoir competence, 445
Spain,
Oestrus ovis, 327
ovine, 327
risk factors, 327
seroprevalence, 327
spatial,
empirical Bayes, 899
epidemic, 899
incidence, 899
Lyme disease, 899
spatial clustering,
Chagas disease, 571
spatial statistics, 571
Triatoma guasayana, 571
vector, 571
spatial distribution,
aquatic habitats, 278
mosquito ecology, 278
Venezuela, 278
Venezuelan equine encephalitis vectors, 278
spatial statistics,
Chagas disease, 571
spatial clustering, 571
Triatoma guasayana, 571
vector, 571
speciation,
assortive mating, 596
polyandry, 596
postmating reproductive isolation, 596
spirochete,
lp25, 676
lp28-1, 676
Lyme disease, 676
vector-borne, 676
St. Louis encephalitis virus,
avian host competence, 367
mosquito vector competence, 367
transmission, 367
West Nile virus, 367
stability,
Anopheles gambiae, 295
habitat size, 295
larval ecology, 295
pupal occurrence, 295
stable fly, 260, 397, 668, 705
Anaplasma marginale, 668
biological transmission, 668
developmental rate, 260
E. coli, 397
house fly, 397
La Réunion Island, 260
mechanical transmission, 668
moisture, 705
population dynamics, 705
retention, 397
stage-specific survival, 260
Stomoxys, 705
temperature, 260
ticks, 668
stage-specific survival,
developmental rate, 260
La Réunion Island, 260
stable flies, 260
temperature, 260
Stomoxyines,
La Réunion island, 959
rate of increase, 959
reproduction, 959
temperature, 959
Stomoxys,
moisture, 705
population dynamics, 705
stable fly, 705
strain W97F51,
Borrelia burgdorferi, 457
Ixodes scapularis, 457
Peromyscus leucopus, 457
prevalence, 457
streaked shearwater, 213, 537
Calonectris leucomelas, 213, 537
chigger, 537
Euschoengastia suzukii, 537
Ixodes philipi, 213
Trombiculidae, 537
subtractive hybridization,
blood-feeding, 36
Borrelia burgdorferi, 36
differential gene expression, 36
Ixodes ricinus, 36
successional pattern,
development, 481
entomotoxicology, 481
forensic entomology, 481
Phormia regina, 481
surveillance,
arbovirus, 1039
pigeon, 1039
sentinel, 1039
West Nile virus, 1039
survey,
Anaplasma marginale, 153
Dermacentor andersoni, 153
quantitative PCR, 153
vector competence, 153

survival,
Dermatophagoides pteronyssinus, 266
fecundity, 266
humidity, 266
temperature, 266
survival analysis,
anopheline, 270
deforestation, 270
malaria vector, 270
susceptibility,
Chrysomya megacephala, 812
insecticide, 812
Musca domestica, 812
symbiont,
Dermacentor variabilis, 502
dog tick, 502
Massachusetts, 502
systematics,
Afrorhynchus, 953
identification keys, 953
Toxorhynchites, 953

T

T. b. brucei,
Glossina, 1035
infection, 1035
T. congolense, 1035
vector competence, 1035
T. congolense,
Glossina, 1035
infection, 1035
T. b. brucei, 1035
vector competence, 1035
Taipei City,
Guandu Nature Park, 1085
Japanese encephalitis virus, 1085
mosquitoes, 1085
Tamias striatus,
Ixodes scapularis, 966
Lyme disease, 966
taxonomy,
Baja California, 1082
Loxosceles mulege, 1082
Sicariidae, 1082
temephos, 821, 830
Aedes, 821
Aedes aegypti, 830
insect growth regulator, 830
insecticide resistance, 821
malathion, 821
methoprene, 830
permethrin, 821
vector control, 830
temperature, 260, 266, 959
Dermatophagoides pteronyssinus, 266
developmental rate, 260
fecundity, 266
humidity, 266
La Réunion Island, 260, 959
rate of increase, 959
reproduction, 959
stable flies, 260
stage-specific survival, 260
Stomoxyines, 959
survival, 266
temporary habitats,
Anopheles gambiae, 548
development, 548
molecular forms, 548
rice fields, 548
terminal restriction fragment length polymorphisms,
bloodmeal analysis, 657
Thai tick typhus,
Flinders Island spotted fever, 918
Hemaphysalis novaeguineae, 918
Rickettsia honei, 918
Thailand, 604, 844
Aedes aegypti, 604, 844
Aedes albopictus, 844
blood feeding, 844
forage ratio, 844
gene flow, 604
genetics, 604
isozymes, 604
tick, 204, 359, 383, 497, 582, 668, 1063
activity, 582
Anaplasma marginale, 668
antibody, 359
automated, 1063
bats, 497
behavioral ecology, 582
biological transmission, 668
Chiroptera, 497
DNA extraction, 1063
ectoparasites, 497
Ganjam virus, 204
India, 204
intestine, 359
Ixodes, 582
mechanical transmission, 668
Ornithodoros, 497
polymerase chain reaction, 1063
receptor, 359
robotic, 1063
Scopulariopsis brevicaulis, 383
seasonality, 582
stable flies, 668
transmission, 383
vector, 359, 383
virus isolation, 204
tick biocontrol,
Beauveria bassiana, 346
entomopathogenic fungi, 346
oxalate, 346
pH, 346
tick paralysis,
Dermacentor andersoni, 376
hamster assay, 376
host effects, 376
Rocky Mountain wood tick, 376
Toxorhynchites, 224, 953
Afrorhynchus, 224, 953
identification keys, 224, 953
new species, 224
systematics, 953
transmission, 57, 134, 367, 383, 404, 838
alphavirus, 404
amplification, 134
arbovirus, 404
avian host competence, 367
Culex nigripalpus, 134
Culex pipiens, 838
Culex restuans, 838
drought, 134
encephalitis, 404
Flavivirus, 838
mosquito vector competence, 367
mosquitoes, 57
Scopulariopsis brevicaulis, 383
St. Louis encephalitis virus, 367
tick, 383
vector, 383, 404
vector competence, 57
West Nile virus, 57, 134, 367, 838
Triatoma carrioni,
Chagas disease, 68
Ecuador, 68
Rhodnius ecuadoriensis, 68
Triatominae, 68
Triatoma dimidiata, 719, 780
antennal sensilla, 719
Chagas disease, 719
cuticular hydrocarbons, 780
Guatemala, 780
Mexico, 780
phyllosoma group, 719
population structure, 780
Triatominae, 719
Triatoma guasayana,
Chagas disease, 571
spatial clustering, 571
spatial statistics, 571
vector, 571
Triatoma infestans,
insecticide resistance, 637
monooxygenases, 637
resistance ratios, 637
Triatominae, 29, 68, 719
antennal sensilla, 719
Chagas disease, 29, 68, 719
cuticular hydrocarbons, 29
Ecuador, 68

morphometry, 29
phyllosoma group, 719
Rhodnius ecuadoriensis, 68
Triatoma carrioni, 68
Triatoma dimidiata, 719
triatomine,
Chagas disease, 1068
Guanajuato, 1068
Mexico, 1068
vector distribution, 1068
Trombiculidae,
Calonectris leucomelas, 537
chigger, 537
Euschoengastia suzukii, 537
streaked shearwater, 537
tropical *Culicoides*,
arbovirus, 554
disease vector, 554
Oropouche virus, 554
Tropidurus,
Amblyomma rotundatum, 945
Brazil, 945
male, 945
Rondônia, 945
Trypanosoma cruzi,
green fluorescent protein, 48
mixed infection, 48
Trypanosoma rangeli, 48
Trypanosoma rangeli,
green fluorescent protein, 48
mixed infection, 48
Trypanosoma cruzi, 48
tsetse populations,
adaptive management, 1006
geostatistics, 1006
mapping, 1006
monitoring, 1006
Turdus merula,
Borrelia garinii, 168
Borrelia valaisiana, 168
Italy, 168
Ixodes ricinus, 168

U

ultrastructure, 1, 86, 939
eggs, 1
eggshell, 86
histology, 939
Insecta, 1
Liosarcophaga dux, 86
meconial PM, 939
mosquito, 1, 939
oviparity, 86
peritrophic matrix, 939
scanning electron microscopy, 1
uropygial gland,
Culex pipiens, 301
Culex restuans, 301
elevation, 301
host attraction, 301
Uruguay,
mitochondrial DNA, 589
polymerase chain reaction-restriction fragment length polymorphism, 589
population structure, 589
screwworm, 589

V

vasodilator,
antithrombin, 805
black fly, 805
genome, 805
sex chromosome, 805
vector, 359, 383, 404, 571, 857
alphavirus, 404, 857
antibody, 359
arbovirus, 404, 857
Chagas disease, 571
encephalitis, 404, 857
intestine, 359
mosquito, 857
receptor, 359
Scopulariopsis brevicaulis, 383
spatial clustering, 571
spatial statistics, 571
tick, 359, 383
transmission, 383, 404
Triatoma guasayana, 571
vector competence, 57, 142, 153, 409, 1035
Anaplasma marginale, 153
Culicoides sonorensis, 409
Dermacentor andersoni, 153
Glossina, 1035
hindgut, 142
infection, 1035
Leishmania major, 142
mosquitoes, 57
myoinhibition, 142
Phlebotomus papatasi, 142
quantitative PCR, 153
survey, 153
T. b. brucei, 1035
T. congolense, 1035
transmission, 57
VSV, 409
West Nile virus, 57
vector control,
Aedes aegypti, 830
insect growth regulator, 830
methoprene, 830
temephos, 830
vector distribution,
Chagas disease, 1068
Guanajuato, 1068
Mexico, 1068
triatomine, 1068
vector-borne,
lp25, 676
lp28-1, 676
Lyme disease, 676
spirochete, 676
venereal transmission,
Aedes aegypti, 909
Chandipura virus, 909
vertical transmission, 909
Venezuela,
aquatic habitats, 278
mosquito ecology, 278
spatial distribution, 278
Venezuelan equine encephalitis vectors, 278
Venezuelan equine encephalitis vectors,
aquatic habitats, 278
mosquito ecology, 278
spatial distribution, 278
Venezuela, 278
vertical transmission,
Aedes aegypti, 909
Chandipura virus, 909
venereal transmission, 909
viral isolation,
arbovirus, 875
Connecticut, 875
mosquitoes, 875
Potosi virus, 875
viral RNA detection,
Culex pipiens pipiens, 490
overwintering, 490
West Nile virus, 490
virus, 882, 891
Barmah Forest, 882
epidemic, 882
isolation, 891
mosquitoes, 891
Peru, 891
Ross River, 882
virus isolation, 63, 204
arbovirus, 63
biting midge, 63
bovine, 63
Culicoides, 63
Ganjam virus, 204
India, 204
ticks, 204
VSV,
Culicoides sonorensis, 409
vector competence, 409

W

West Nile virus, 57, 134, 367, 429, 490, 838, 1039
amplification, 134
apoptosis, 429
arbovirus, 1039
avian host competence, 367
Culex nigripalpus, 134
Culex pipiens, 838
Culex pipiens pipiens, 490
Culex restuans, 838
drought, 134

electron microscopy, 429
Flavivirus, 838
mosquito vector competence, 367
mosquitoes, 57
overwintering, 490
pathology, 429
pigeon, 1039
salivary glands, 429
sentinel, 1039
St. Louis encephalitis virus, 367
surveillance, 1039
transmission, 57, 134, 367, 838
vector competence, 57
viral RNA detection, 490
wildlife,
arthropod succession, 193
forensic entomology, 193
necrophilous insects, 193
poaching, 193
wing length,
correlation, 254
fecundity, 254
Ochlerotatus japonicus, 254
WO bacteriophage,
Culex pipiens, 789
cytoplasmic incompatibility, 789
mobile genetic elements, 789
Wolbachia,
endosymbiont, 120
in situ hybridization, 120
mosquito, 120
Wuchereria bancrofti,
Aedes, 1045
Dirofilaria immitis, 1045
French Polynesia, 1045
parity rates, 1045

X

Xenopsylla cheopis,
Aedes aegypti, 352
Ixodes scapularis, 352
natural products, 352
nootkatone, 352

Y

yellowfever mosquito,
deet, 643
nepetalactone, 643
repellents, 643